

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
-	5360	(configur\$5) near4 (whole or all or entire or computer) near4 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 12:57
-	393	(configur\$5) near4 (whole or all or entire) near4 network	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:18
-	25879	(configur\$5 near4 (model or template or file))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 13:18
-	65	((configur\$5) near4 (whole or all or entire) near4 network) and ((configur\$5 near4 (model or template or file)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 16:58
-	28	6029196.URPN.	USPAT	2004/11/04 13:45
-	79	709/220.ccls. and provisioning	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 14:24
-	29	(709/220.ccls. and provisioning) and (@ad<20001031 or @prad<20001031)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 14:24
-	2	dean.in. and prerecorded adj keystrokes	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 17:07
-	0	stor\$4 near4 (whole or all or entire or complete) near4 network near5 (configur\$5) near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/04 17:07
-	7	(whole or all or entire or complete) near4 network near5 (configur\$5) near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/11/05 10:33

<b>L Number</b>	<b>Hits</b>	<b>Search Text</b>	<b>DB</b>	<b>Time stamp</b>
<b>1</b>	<b>1</b>	<b>09/545,439</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 11:53</b>
<b>2</b>	<b>1</b>	<b>5175800.pn. and monitor\$3</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 13:36</b>
<b>3</b>	<b>1</b>	<b>5175800.pn. and domain</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 11:56</b>
<b>4</b>	<b>1</b>	<b>5175800.pn. and queue</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 12:00</b>
<b>5</b>	<b>56</b>	<b>"5175800"</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 12:00</b>
<b>6</b>	<b>20</b>	<b>"5175800" and 709/220-226.ccls.</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 12:00</b>
<b>7</b>	<b>0</b>	<b>("5175800" and 709/220-226.ccls.) and domain adj name and queue</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 12:01</b>
<b>8</b>	<b>0</b>	<b>"5175800" and domain adj name and queue</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 12:01</b>
<b>9</b>	<b>1</b>	<b>"5175800" and domain adj name</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 12:01</b>
<b>10</b>	<b>42</b>	<b>domain adj name adj server and network near4 (monitor\$3 or manag\$5) and role and one near2 many</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 12:03</b>

<b>11</b>	<b>11</b>	<b>domain adj name adj server and network near4 (monitor\$3 or manag\$5) and role and one near2 many near3 relationship</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 12:03</b>
<b>12</b>	<b>2</b>	<b>5175800.pn. and relationship</b>	<b>USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB</b>	<b>2004/11/05 13:36</b>

ProQuest Search:

(configur\*) w/4 (whole or all or entire) w/4 network

(configur\*) w/4 (whole or all or entire) w/4 network and config\* w/4 (file or model or template)

(configur\*) w/4 (whole or all or entire) w/4 network and (network w/4 (model or template))